

# Leveraging Street Cameras to Support Outdoor Navigation for Blind Pedestrians

Gaurav Jain  
Columbia University  
New York, NY, USA  
gaurav@cs.columbia.edu

Basel Hindi  
Columbia University  
New York, NY, USA  
basel.hindi@columbia.edu

Mingyu Xie  
Columbia University  
New York, NY, USA  
mx2277@columbia.edu

Zihao Zhang  
Columbia University  
New York, NY, USA  
zz2830@columbia.edu

Koushik Srinivasula  
Columbia University  
New York, NY, USA  
ks4070@columbia.edu

Daniel Weiner\*  
Lehman College  
New York, NY, USA  
daniel.weiner@lc.cuny.edu

Xin Yi Therese Xu\*  
Pomona College  
Claremont, CA, USA  
xx2449@columbia.edu

Sophie Ana Paris\*  
New York University  
New York, NY, USA  
sap688@nyu.edu

Chloe Tedjo\*  
Texas A&M University  
College Station, TX, USA  
chloetedjo@tamu.edu

Josh Bassin\*  
Penn State University  
State College, PA, USA  
jrb7183@psu.edu

Michael Malcolm\*  
SUNY at Albany  
Albany, NY, USA  
mmalcolm@albany.edu

Brian A. Smith  
Columbia University  
New York, NY, USA  
brian@cs.columbia.edu



**Figure 1: Overview of the street camera-based navigation system. Blind and low-vision (BLV) pedestrians use the smartphone app (a–c) to interact with the street cameras (d–e) in receiving precise and real-time navigation assistance. The system (a) localizes the BLV user by asking them to wave one hand, offering them the ability to (b) explore the environment layout, and then (c) guides the user to their destination while avoiding obstacles and veering off track, and assisting with crossing streets.**

## ABSTRACT

Blind and low-vision (BLV) people use GPS-based systems for outdoor navigation assistance, which provide turn-by-turn instructions to get from one place to another. However, such systems do not provide users with real-time, precise information about their location and surroundings which is crucial for safe navigation. In

this work, we investigate whether street cameras can be used to address aspects of navigation that BLV people still find challenging with existing GPS-based assistive technologies. We conducted formative interviews with six BLV participants to identify specific challenges they face in outdoor navigation. We discovered three main challenges: anticipating environment layouts, avoiding obstacles while following directions, and crossing noisy street intersections. To address these challenges, we are currently developing a street camera-based navigation system that provides real-time auditory feedback to help BLV users avoid obstacles, know exactly when to cross the street, and understand the overall layout of the environment. We close by discussing our plan for evaluating the system.

## CCS CONCEPTS

• Human-centered computing → Accessibility systems and tools.

\*This work was done while Daniel Weiner, Xin Yi Therese Xu, Sophie Ana Paris, Chloe Tedjo, Josh Bassin, and Michael Malcolm were interns at Columbia University.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from [permissions@acm.org](mailto:permissions@acm.org).

ASSETS '23, Oct 22–25, 2023, New York, NY

© 2023 Association for Computing Machinery.

ACM ISBN 978-x-xxxx-xxxx-x/YY/MM...\$15.00

<https://doi.org/XXXXXXXXXXXXXX>

## KEYWORDS

Visual impairments, outdoor navigation, computer vision

### ACM Reference Format:

Gaurav Jain, Basel Hindi, Mingyu Xie, Zihao Zhang, Koushik Srinivasula, Daniel Weiner, Xin Yi Therese Xu, Sophie Ana Paris, Chloe Tedjo, Josh Bassin, Michael Malcolm, and Brian A. Smith. 2023. Leveraging Street Cameras to Support Outdoor Navigation for Blind Pedestrians. In *Proceedings of (ASSETS '23)*. ACM, New York, NY, USA, 5 pages. <https://doi.org/XXXXXXX.XXXXXXX>

## 1 INTRODUCTION

Outdoor navigation in unfamiliar environments is challenging for blind and low-vision (BLV) people. GPS-based assistive technologies, such as BlindSquare [20] and Microsoft Soundscape [13], are commonly used by BLV people to learn about nearby points of interest (POIs) and to receive turn-by-turn instructions to the chosen POI. While GPS-based systems successfully provide information regarding the route to the destination, they fail to assist with other aspects of outdoor navigation that require real-time and precise knowledge of the user's location and surroundings. For instance, BLV pedestrians face difficulties in avoiding obstacles (e.g., other pedestrians, vehicles) [24], maintaining a straight path [23], and crossing street intersections [11]. Thus, there is a need to explore alternate technologies that can support the precise and real-time aspects of BLV pedestrian outdoor navigation.

One particularly promising alternative is to leverage already-instrumented street cameras in outdoor environments, which are increasingly installed in cities for public safety, surveillance, and traffic management-related applications [2, 4, 8, 15, 19]. While the primary purpose of street cameras is not accessibility, they have the potential to be repurposed as navigation assistance systems.

In this work, we investigate street cameras' potential for supporting aspects of outdoor navigation that require precise and real-time knowledge of BLV pedestrians' location and surroundings. To this end, we take preliminary steps to answer the following research questions:

- RQ1.** What aspects of outdoor navigation do BLV people find challenging when using GPS-based assistive technology?
- RQ2.** How should street camera-based systems be designed to address these challenging aspects of outdoor navigation?
- RQ3.** To what extent do street camera-based navigation systems address these outdoor navigation challenges?

To answer RQ1, we performed formative interviews with six BLV participants and found that anticipating environment layouts, avoiding obstacles while following directions, and crossing street intersections in noisy environments are challenging aspects of outdoor navigation that GPS-based systems fail to address.

To answer RQ2, we are currently prototyping a street camera-based navigation system that addresses the challenges revealed in RQ1. To interact with the street camera system, BLV pedestrians use a smartphone application and Bluetooth earpiece. When navigating outdoors, BLV users simply wave their hand over their head and the street camera system embedded within the environment recognizes their precise location on the street using computer vision. Once localized, pedestrians can choose to receive turn-by-turn instructions to a nearby POI or explore the layout of the environment. As users

navigate through the environment, they receive real-time auditory feedback that helps prevent veering off the path, avoid obstacles, and know exactly when to cross the street; as shown in Figure 1. Lastly, we close by discussing our plan for evaluating the system to answer RQ3.

## 2 RELATED WORK

Existing approaches for outdoor navigation primarily rely on GPS-based navigation systems for providing turn-by-turn instructions and information about nearby POIs [13, 20]. The GPS signal, however, offers poor precision with localization errors as big as tens of meters [1, 21, 31]. The accuracy is even lower in densely populated cities [29], which is even more concerning given that a disproportionately high percentage of BLV people live in cities [12]. Despite GPS-based systems' undeniable impact on helping BLV people in outdoor navigation, their low precision and inability to provide real-time support for avoiding obstacles and veering limits their usability as a standalone navigation solution. Our work attempts to investigate street cameras' potential as an alternative solution for providing precise and real-time navigation assistance along with turn-by-turn guidance.

Another approach for outdoor navigation has explored developing personalized, purpose-built, assistive devices support with crossing streets [11, 17, 28], recording routes [31], and avoiding obstacles [5, 6, 14, 18, 26, 30]. While these solutions address the precise and real-time aspects of BLV people's outdoor navigation, they do not support turn-by-turn navigation. Furthermore, these systems place the burden of purchasing costly devices onto the BLV users. Our work, by contrast, explores the possibility of using street cameras to provide a comprehensive solution for outdoor navigation. We investigate re-purposing existing hardware in outdoor environments to support accessibility applications, thus imbuing accessibility within the city infrastructure directly, and adding no additional cost to the BLV user.

## 3 FORMATIVE INTERVIEWS

We conducted semi-structured interviews with six BLV participants to answer RQ1: *What aspects of outdoor navigation do BLV people find challenging when using GPS-based assistive technology?*

### 3.1 Methods

We recruited six BLV participants (three males and three females; aged 29–66) by posting on social media platforms and snowball sampling [9]. Table 1 summarises the participants' information. All interviews were conducted over Zoom and lasted about 90 minutes. Participants were compensated \$25 for this IRB approved study.

To understand the specific aspects of outdoor navigation that BLV people find challenging, we used a recent Critical Incident Technique (CIT) [7], in which we asked participants to recall and describe a recent time when they navigated outdoor environments using assistive technology (AT). For example, we first asked participants to name the AT they commonly use and then asked them to elaborate on their recent experience of using it: *"So, you mentioned using BlindSquare a lot. When was the last time you used it?"* Then, we initiated a discussion by establishing the scenario for them: *"Now, let's walk through your visit from the office to this restaurant."*

**Table 1: Self-reported demographics of our participants. Gender information was collected as a free response; our participants identified themselves as female (F) or male (M). Participants rated their assistive technology (AT) familiarity on a scale of 1–5.**

PID	Gender	Age	Race	Occupation	Vision ability	Onset	Mobility aid	AT familiarity (1–5)
P1	F	29	White	Claims expert	Totally blind	Birth	White cane	3: Moderately familiar
P2	F	61	White	Retired	Light perception only	Age 6	Guide dog	1: Not at all familiar
P3	F	66	White	Retired	Totally blind	Age 58	Guide dog	2: Slightly familiar
P4	M	48	Black	Unemployed	Light perception only	Age 32	White cane	3: Moderately familiar
P5	M	27	White/Asian	Unemployed	Totally blind	Birth	White cane	3: Moderately familiar
P6	M	38	White	AT instructor	Totally blind	Birth	White cane	5: Extremely familiar

Suppose, I spotted you at your office. What would I observe? Let’s start with you getting out of your office building.” We asked follow-up questions to gain insights into what made the aspects of outdoor navigation challenging and what additional information could help address them.

To analyze the interviews, we first transcribed the study sessions in full and then performed thematic analysis [3] involving three members of our research team. Each researcher first independently went through the interview transcripts and used NVivo [22] to create an initial set of codes. Then, all three iterated on the codes together to identify emerging themes.

## 3.2 Findings: Challenging Aspects of Outdoor Navigation

We found three major themes representing aspects of outdoor navigation that participants reported as being challenging.

**3.2.1 Anticipating environment layout.** Participants expressed lack of confidence in following GPS-based systems’ instructions due to difficulties in anticipating the shape and layout of the environment since “*not everything is organized in the ideal grid-like way*” (P1). P3 recalls: “*I didn’t know if crosswalks were straight or curved or if they were angled. [It was hard] to figure out which way you needed to be to be in the crosswalk.*” Many participants cited issues with unexpected “alleyways” (P1, P2, P4) that caught them off-guard in dangerous situations with “cars coming through” (P2). Unfamiliar layouts often caused participants to veer off the sidewalks and end up in streets.

**3.2.2 Avoiding obstacles while following instructions.** Participants reported using their existing mobility aids along with GPS-based systems for getting directions. While doing so, participants found it challenging to keep their concentration on identifying obstacles and often bumped into things that they would have otherwise identified via their white cane. P2 shared an instance where “*there were traffic cones [and] I tripped over those*” while following directions. Both dynamic obstacles (e.g., other pedestrians, cars) and temporarily placed stationary obstacles (e.g., triangle sandwich board sign –P3) were hard to navigate around. P4 echoed this sentiment: “*You know how many times I’ve walked into the sides of cars even though I have the right of way. Drivers have gotten angry, accusing me of scratching their vehicles. It can spoil your day [and make] you feel insecure and disoriented.*”

**3.2.3 Crossing street intersections safely.** In line with prior research [11], our participants expressed crossing streets to still be a major challenge. Most participants mentioned relying on audio cues to identify the flow of traffic, but found it to be often insufficient: “*yeah, it can be tricky, because [there may be] really loud construction nearby that can definitely throw me off because I’m trying to listen to the traffic*” (P1). Furthermore, not knowing the duration of the signals and the length of the crosswalk affected their confidence as they feared getting in trouble: “*I don’t want to be caught in the middle [of the street]*” (P4).

## 4 STREET CAMERA-BASED NAVIGATION SYSTEM

In this section, we introduce a navigation system that we are currently developing to answer RQ2: *How should street camera-based systems be designed to address the challenging aspects of outdoor navigation?* The prototype consists of three components: (i) street cameras, (ii) computational server, and (iii) smartphone app. These components interact with each other to facilitate two navigation modes that together address BLV people’s challenges to outdoor navigation, which we discovered in our formative interviews.

### 4.1 System Components

Next, we describe the three system components in detail.

**Street cameras.** The system uses two cameras mounted at the corner of the second floor (Figure 1d) and twelfth floor of our institution’s building. Both cameras face the same four-way street intersection. The video feed from these cameras are directly streamed onto the computational server for further processing.

**Computational server.** The computational server processes the video feeds using state-of-the-art computer vision models to track pedestrians and vehicles, and identify pedestrian signals. Using the two camera views at different heights, along with an image from Apple Maps’ street view of the same intersection, the system finds visual correspondences to generate a bird’s-eye view representation of the environment (Figure 1e). Additionally, it stores the map information that includes labeled regions (e.g., streets, crosswalks, sidewalks, pedestrian lights) and the location of relevant POIs (e.g., pharmacy, café) within the bird’s-eye view representation. Similar to prior work in indoor navigation [1, 10, 27], the map information is prepared manually by an administrator and loaded onto the server beforehand.

**Smartphone application.** Figure 1a–c shows the iOS app that acts as an interface between the user and the computational server, enabling them to access the map information and to receive real-time audio feedback via a Bluetooth earpiece. To alleviate concerns around revealing private identifiable information from the video feeds (e.g., pedestrian’s faces and vehicle’s license plate), the server only sends processed information such as navigation instructions, positions and generic labels of obstacles (e.g., “vehicle” at 2 o’clock) to the smartphone app instead of the video itself.

## 4.2 User Interaction and Experience

BLV pedestrians use the smartphone app to establish a connection with the server via the localization mechanism. Once localized, users can choose from either of two navigation modes: guidance or exploration mode.

**Localization mechanism.** To determine the user’s position on the bird’s-eye view map, the system must differentiate them from other pedestrians in the environment. We achieved this by introducing an action recognition module that can identify users from the second floor camera feed. The smartphone app asks the user to initialize the system with their current position by simply waving one hand above their head for a few seconds (Figure 1a), which is detected by the action recognition module. We chose this action based on discussions with several BLV individuals and most agreed that this single-handed action was both convenient and socially acceptable to them. Internally, the action recognition module is implemented as a CLIP model [25] that computes visual similarity of each detected pedestrian’s image crops from the second floor camera with the following language prompts: “*person walking*” and “*person waving hand*.” We experimentally fine-tuned the confidence thresholds.

**Navigation modes.** To address the challenging aspects of outdoor navigation that we identified from our formative study, we designed the street camera-based navigation system to support the following two modes of navigation:

**Guidance Mode.** Figure 1c shows this mode, where BLV users can choose a destination from the list of nearby POIs and receive real-time audio feedback in the form of turn-by-turn instructions. Similar to prior work in indoor navigation [1], we represent the birds-eye view map as a graph representation consisting of POIs and street corners as nodes that act as way-points. The knowledge of the user’s precise position enables the system to provide audio cues that help prevent veering off the path between way-points (Section 3.2.1).

To address BLV users’ challenges to avoid obstacles while following instructions (Section 3.2.2), the street camera-based system notifies users of obstacles—both moving and fixed—by specifying their relative spatial location and detected category (e.g., pedestrian, vehicle). Our current implementation offers support for dynamic obstacles such as pedestrians and vehicles, along with fixed ones such as poles, trashcans, and parked vehicles. Internally, we implement this by tracking all these elements within the space and predicting positional overlaps in bird’s-eye view. For dynamic obstacles, specifically vehicles, we plan on adapting our prediction module to also account for their speed.

To address BLV people’s challenges in crossing street intersections safely (Section 3.2.3), the system dynamically updates the internal graph representation to temporarily remove crosswalks that have pedestrian signals reading “wait” and reinstates it when they read: “walk.” Once the system reinstates the crosswalk, it provides users precise information about the time remaining to cross and the distance to the other end of the crosswalk. The system gathers this information by first automatically detecting the signal state (i.e., walk vs. wait) and then computing the time it takes to change over a complete cycle.

**Exploration Mode.** Figure 1b shows this mode, where BLV users can choose to navigate the environment without any specific destination in mind. Similar to guidance mode, this mode also provides users real-time feedback to prevent veering (Section 3.2.1), avoid obstacles (Section 3.2.2), and cross street intersections safely (Section 3.2.3). Additionally, this mode is designed to address BLV users’ challenge to anticipate environment layouts (Section 3.2.1). The user can scrub their finger on their smartphone to learn the bird’s-eye view map spatial layout. Prior work on image accessibility has found this approach to be effective [16] in exploring images. Our current implementation allows users to move their finger across the map on the smartphone app, reading out the corresponding region labels (e.g., street, crosswalk, sidewalk). We plan on extending this touchscreen-based exploration tool to also convey user’s current position and POIs.

## 5 FUTURE WORK

In addition to extensions mentioned earlier, we are developing our system’s audio cues for rendering real-time feedback in the two navigation modes. We plan on conducting pilot studies to identify and fix any technical issues and to iterate over the system’s design. To evaluate the street camera-based navigation system (i.e., to answer RQ3) we will conduct user studies with BLV pedestrians. In this study, we will compare participants’ experience of navigating street intersections using the proposed system and the GPS apps. In addition to directly asking participants to share their overall impressions, we plan to analyze participants’ behaviors and system usage logs. Our aim is to understand the extent to which street cameras can be used to support precise and real-time outdoor navigation.

## ACKNOWLEDGMENTS

We thank Lindsey Tara Weiskopf for literature review, Arjun Nichani for initial prototyping, and Mahshid Ghasemi for setting up the computational server. We thank our study participants for participating in the study. This work was supported by the National Science Foundation (NSF) and Center for Smart Streetscapes (CS3) under NSF Cooperative Agreement No. EEC-2133516. Daniel Weiner and Xin Yi Therese Xu were supported by the Columbia–Amazon SURE Program. Sophie Ana Paris, Chloe Tedjo, and Josh Bassin were funded by the NSF Grant No. 2051053 and 2051060.

## REFERENCES

- [1] Dragan Ahmetovic, Cole Gleason, Chengxiong Ruan, Kris Kitani, Hironobu Takagi, and Chieko Asakawa. 2016. NavCog: A navigational cognitive assistant for the blind. In *Proceedings of the 18th International Conference on Human-Computer Interaction with Mobile Devices and Services (MobileHCI '16)*. Association for Computing Machinery, New York, NY, USA, 90–99. <https://doi.org/10.1145/2935334.2935361>

- [2] Amnesty International. 2021. Surveillance City: NYPD can use more than 15,000 cameras to track people using facial recognition in Manhattan, Bronx and Brooklyn. <https://www.amnesty.org/en/latest/news/2021/06/scale-new-york-police-facial-recognition-revealed/>
- [3] Virginia Braun and Victoria Clarke. 2006. Using thematic analysis in psychology. *Qualitative Research in Psychology* 3, 2 (Jan. 2006), 77–101. <https://doi.org/10.1191/1478088706qp0630a>
- [4] Coco Feng. 2019. China the most surveilled nation? The US has the largest number of CCTV cameras per capita. <https://www.scmp.com/tech/gear/article/3040974/china-most-surveilled-nation-us-has-largest-number-cctv-cameras-capita>
- [5] Ping-Jung Duh, Yu-Cheng Sung, Liang-Yu Fan Chiang, Yung-Ju Chang, and Kuan-Wen Chen. 2020. V-eye: A vision-based navigation system for the visually impaired. *IEEE Transactions on Multimedia* 23 (2020), 1567–1580.
- [6] Alexander Fiannaca, Ilias Apostolopoulos, and Eelke Folmer. 2014. Headlock: a wearable navigation aid that helps blind cane users traverse large open spaces. In *Proceedings of the 16th international ACM SIGACCESS conference on Computers & accessibility (ASSETS '14)*. Association for Computing Machinery, New York, NY, USA, 323–324. <https://doi.org/10.1145/2661334.2661344>
- [7] John C. Flanagan. 1954. The critical incident technique. *Psychological Bulletin* 51, 4 (1954), 327–358.
- [8] Frank Hersey. 2017. China to have 626 million surveillance cameras within 3 years. <https://technode.com/2017/11/22/china-to-have-626-million-surveillance-cameras-within-3-years/>
- [9] Leo A. Goodman. 1961. Snowball Sampling. *The Annals of Mathematical Statistics* 32, 1 (1961), 148–170. <https://www.jstor.org/stable/2237615> Publisher: Institute of Mathematical Statistics.
- [10] João Guerreiro, Daisuke Sato, Saki Asakawa, Huixu Dong, Kris M. Kitani, and Chieko Asakawa. 2019. CaBot: Designing and Evaluating an Autonomous Navigation Robot for Blind People. In *The 21st International ACM SIGACCESS Conference on Computers and Accessibility (ASSETS '19)*. Association for Computing Machinery, New York, NY, USA, 68–82. <https://doi.org/10.1145/3308561.3353771>
- [11] Richard Guy and Khai Truong. 2012. CrossingGuard: exploring information content in navigation aids for visually impaired pedestrians. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, Austin Texas USA, 405–414. <https://doi.org/10.1145/2207676.2207733>
- [12] David L. Harkey, Daniel L. Carter, Janet M. Barlow, and Billie Louise Bentzen. 2007. Accessible pedestrian signals: A guide to best practices. *National Cooperative Highway Research Program, Contractor's Guide for NCHRP Project* (2007).
- [13] Microsoft Inc. 2018. Microsoft Soundscape - Microsoft Research. <https://www.microsoft.com/en-us/research/product/soundscape/>. (2018).
- [14] Robert K. Katzschmann, Brandon Araki, and Daniela Rus. 2018. Safe local navigation for visually impaired users with a time-of-flight and haptic feedback device. *IEEE Transactions on Neural Systems and Rehabilitation Engineering* 26, 3 (2018), 583–593.
- [15] Laura Griffin. 2020. Surveillance Cameras Are Everywhere. And They're Only Going To Get More Ubiquitous. <https://crimereads.com/surveillance-cameras-are-everywhere-and-theyre-only-going-to-get-more-ubiquitous/>
- [16] Jaewook Lee, Jaylin Herskovitz, Yi-Hao Peng, and Anhong Guo. 2022. ImageExplorer: Multi-Layered Touch Exploration to Encourage Skepticism Towards Imperfect AI-Generated Image Captions. In *CHI Conference on Human Factors in Computing Systems*. ACM, New Orleans LA USA, 1–15. <https://doi.org/10.1145/3491102.3501966>
- [17] Xiang Li, Hanzhang Cui, John-Ross Rizzo, Edward Wong, and Yi Fang. 2020. Cross-Safe: A Computer Vision-Based Approach to Make All Intersection-Related Pedestrian Signals Accessible for the Visually Impaired. In *Advances in Computer Vision*, Kohei Arai and Supriya Kapoor (Eds.). Vol. 944. Springer International Publishing, Cham, 132–146. [https://doi.org/10.1007/978-3-030-17798-0\\_13](https://doi.org/10.1007/978-3-030-17798-0_13)
- [18] Yimin Lin, Kai Wang, Wanxin Yi, and Shiguo Lian. 2019. Deep Learning Based Wearable Assistive System for Visually Impaired People. In *2019 IEEE/CVF International Conference on Computer Vision Workshop (ICCVW)*. IEEE, Seoul, Korea (South), 2549–2557. <https://doi.org/10.1109/ICCVW.2019.00312>
- [19] Liza Lin, Newley Purnell. 2019. A World With a Billion Cameras Watching You Is Just Around the Corner. <https://www.wsj.com/articles/a-billion-surveillance-cameras-forecast-to-be-watching-within-two-years-11575565402>
- [20] MIPsoft. 2016. BlindSquare. <https://www.blindsquare.com/>
- [21] Marko Modsching, Ronny Kramer, and Klaus ten Hagen. 2006. Field trial on GPS Accuracy in a medium size city: The influence of built-up. In *3rd workshop on positioning, navigation and communication*, Vol. 2006. 209–218.
- [22] NVivo. 1997. NVivo. <https://www.qsrinternational.com/nvivo-qualitative-data-analysis-software/home>
- [23] Sabrina A. Paneels, Dylan Varenne, Jeffrey R. Blum, and Jeremy R. Cooperstock. 2013. The Walking Straight Mobile Application: Helping the Visually Impaired Avoid Veering. (July 2013).
- [24] Jagannadh Pariti, Vinita Tibdewal, and Tae Oh. 2020. Intelligent Mobility Cane - Lessons Learned from Evaluation of Obstacle Notification System using a Haptic Approach. In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems*. ACM, Honolulu HI USA, 1–8. <https://doi.org/10.1145/3334480.3375217>
- [25] Alec Radford, Jong Wook Kim, Chris Hallacy, Aditya Ramesh, Gabriel Goh, Sandhini Agarwal, Girish Sastry, Amanda Askell, Pamela Mishkin, Jack Clark, Gretchen Krueger, and Ilya Sutskever. 2021. Learning Transferable Visual Models From Natural Language Supervision. <http://arxiv.org/abs/2103.00020> [cs].
- [26] Lisa Ran, Sumi Helal, and Steve Moore. 2004. Drishti: an integrated indoor/outdoor blind navigation system and service. In *Second IEEE Annual Conference on Pervasive Computing and Communications, 2004. Proceedings of the*. IEEE, 23–30.
- [27] Daisuke Sato, Uran Oh, João Guerreiro, Dragan Ahmetovic, Kakuya Naito, Hironobu Takagi, Kris M. Kitani, and Chieko Asakawa. 2019. NavCog3 in the Wild: Large-scale Blind Indoor Navigation Assistant with Semantic Features. *ACM Transactions on Accessible Computing* 12, 3 (Sept. 2019), 1–30. <https://doi.org/10.1145/3340319>
- [28] Hojun Son, Divya Krishnagiri, V. Swetha Jeganathan, and James Weiland. 2020. Crosswalk Guidance System for the Blind. In *2020 42nd Annual International Conference of the IEEE Engineering in Medicine Biology Society (EMBC)*. 3327–3330. <https://doi.org/10.1109/EMBC44109.2020.9176623> ISSN: 2694-0604.
- [29] Charles Viecek, Patricia McLain, and Michael Murphy. 1993. GPS/dead reckoning for vehicle tracking in the "urban canyon" environment. In *Proceedings of VNIS'93-Vehicle Navigation and Information Systems Conference*. IEEE, 461–34.
- [30] Hsueh-Cheng Wang, Robert K. Katzschmann, Santani Teng, Brandon Araki, Laura Giarre, and Daniela Rus. 2017. Enabling independent navigation for visually impaired people through a wearable vision-based feedback system. In *2017 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE, Singapore, 6533–6540. <https://doi.org/10.1109/ICRA.2017.7989772>
- [31] Chris Yoon, Ryan Louie, Jeremy Ryan, MinhKhang Vu, Hyegi Bang, William Derksen, and Paul Ruvolo. 2019. Leveraging Augmented Reality to Create Apps for People with Visual Disabilities: A Case Study in Indoor Navigation. In *The 21st International ACM SIGACCESS Conference on Computers and Accessibility*. ACM, Pittsburgh PA USA, 210–221. <https://doi.org/10.1145/3308561.3353788>